

PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
STANDALONE SYSTEMS				
	**EASYBKA**		Anti-vandal stand-alone backlit keypad, 500 users, 2 relay outputs 3A, resinate electronics, IP65, 2 m cable	**272,70**
	**EASYBKR**		Anti-vandal stand-alone backlit keypad, 500 users, 2 relay outputs 3A, resinate electronics, IP65, terminal blocks output	**295,36**
	**EASYACCESS**		Vandal proof remote control keypad	**362,07**
	**RADIOKEYD+**		2-channel encrypted radio keypad, 433,920 MHz, 2 communication mode: Monocode & Multicodes, vandal-proof, resinated electronics	**170,14**
	**KITRADIOKEYD+**		RADIOKEYD+ keypad + MRMINI2E+, 433 MHz	**269,50**
	**M2000-BT**		Control unit for 2.000 users, with built-in 433.920 MHz Rolling code radio receiver, 2 Wiegand or Data Clock inputs, 1 RS485 output. 2 virtual remotes included - Smartphone programming - **12V Power supply**	**364,66**
CENTRALIZED SYSTEMS				
	**MT50000/2**		Access control board with native IP, 50.000 users, 2 inputs for readers, 3 relay outputs 3A, 15.000 events	**1639,45**
	**MT50000/2-M**		MT50000/2 control board in metal box with 4,5A backup power supply (battery not included)	**1914,04**
	**MT50000/4**		Access control board with native IP, 50.000 users, 4 inputs for readers, 5 relay outputs 3A , 15.000 events	**2407,44**
	**MT50000/4-M**		MT50000/4 control board in metal box with 4,5A backup power supply (battery not included)	**2661,87**
	**MT50000/EXT4**		Extension module for MT15000/2 or MT50000/4 unit, 4 additional inputs for readers	**989,01**
	**MT50000/EXT4-M**		MT50000/EXT4 extension module in metal box with 4,5A backup power supply (battery not included)	**1263,61**
	**MT50000/EXT-IO**		Extension module for MT50000/2 or MT50000/4 unit, 8 inputs + 8 relay outputs	**1166,71**
	**MT50000/EXTIO-M**		MT50000/EXT-IO extension module in metal box with 4,5A backup power supply (battery not included)	**1440,75**
READERS & BADGES				
	**EASYBKW**		Anti-vandal backlit keypad, 1 Wiegand/Data clock output, resinate electronics, IP65, 2 m cable	**280,84**
	**MRRE-4-USB**		433.920 MHz radio receiver for TC2E / TC4E / MPSTP2E / SLIM2E / SLIM4E 4 independant multiprotocol outputs, USB connection, 4 activation inputs	**279,12**
	**MRRE-4-USB+**		Encrypted 433.920 MHz radio receiver for SLIM+ and SLIM2E+, 4 independant multiprotocol outputs, USB connection, 4 activation inputs	**299,05**

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39



PRASTEL

PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
			125 KHz Proximity technology	
	**MPROXMINI**		Proximity miniaturised reader 125 KHz, resinate electronics, IP67 ***(While stocks last)***	**169,84**
	**LPROX**		Proximity reader 125 KHz, resinated electronics, IP67	**137,25**
	**MBAD2**		Proximity card 125 KHz, ISO2 format (credit card format with magnetic stripe)	**5,88**
	**MBPRO**		Proximity card 125 KHz, "Clamshell" format	**8,49**
	**MISOPROX**		Proximity card 125 KHz, ISO format (credit card format)	**5,01**
	**MTAG**		Proximity tag 125 KHz, key-holder format	**10,51**
	**SLIM+DT**		4-channel transmitter 433,920 MHz, rolling code, XP and RW+, crypted transmission, black & chrome-plated casing with integrated 125 KHz proximity chip	**50,86**
	**SLIM4EDT**		SLIM4E transmitter with integrated 125 KHz proximity chip	**47,62**
			"Mifare ®" Proximity technology 13,56 MHz	
	**ISOPROMF**		Mifare® proximity card 13.56 MHz technology, ISO format	**4,06**
	**SLIM+MF**		SLIM+ transmitter with integrated Mifare® proximity chip 13.56 MHz	**54,08**
	**SLIM4EMF**		SLIM4E transmitter with integrated Mifare® proximity chip 13.56 MHz	**51,57**
	**LPROX-MF**		Mifare® 13,56 MHz proximity reader, resinated electronics IP67	**188,44**
	**TAGPROMF**		Mifare® proximity tag 13.56 MHz, key-holder format	**9,14**
	125 Khz Marine Electronic			
	**TAGPROEM**		Electronic Marin proximity tag 13.56 MHz, key-holder format	**9,92**
	**ISOPROEM**		Electronic Marin proximity card 13.56 MHz technology, ISO format	**4,70**

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39



PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
	Virtual Technology (App)			
	**MOD-VR10**		License for 10 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	**109,18**
	**MOD-VR20**		License for 20 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	**208,06**
	**MOD-VR50**		License for 50 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	**506,00**
	**MOD-VR100**		License for 100 virtual remote controls for MRS-GSM-4G and M2000-BT (via app)	**998,00**
	UHF proximity technology			
	**MEGAPROX8**		UHF long range reader (12m). Wiegand 26 bits	**2313,42**
	**TELETAG-V4**		Passive UHF badge with bracket	**31,04**
	**TELESTICK-D-P-V4**		Passive UHF tag, adhesive and programmable	**15,05**
	GSM ACCESS CONTROL SYSTEMS			
	**MRGSM-ANTEXT**		GSM Remote antenna for MRS-GSM-4G	**88,85**
	**MRS-GSM-4G**	*New!*	4G access control with built-in 868MHz receiver, encrypted transmission with SLIM4S +, 1000 codes, 2 virtual remote controls included by default (delivered with SIM card, 10-year subscription)	**329,60**
	ACCESSORIES & SOFTWARES			
	**MF-USB**		Desktop reader/encoder Mifare®, USB connection	**622,97**
	**BIO-USB**		USB enroller for fingerprints	**1570,77**
	**DONGLE-V10**		Dongle for MT50000/2 or MT/50000/4, up to 10 active doors management on the sofware, Software SWAMIGO3 can be downloaded on the website www.prastel.com	**945,85**
	**DONGLE-V40**		Dongle for MT50000/2 or MT50000/4, up to 40 active doors management on the sofware, Software SWAMIGO3 can be downloaded on the website www.prastel.com	**1772,70**
	**DONGLE-V140**		Dongle for MT50000/2 or MT50000/4, up to 140 active doors management on the sofware, Software SWAMIGO3 can be downloaded on the website www.prastel.com	**3648,65**
	**DONGLE-V840**		Dongle for MT50000/2 or MT50000/4, up to 840 active doors management on the sofware, Software SWAMIGO3 can be downloaded on the website www.prastel.com	**5482,50**
	**MOD-LPR**		Managing module for vehicules numberplates. SURVISION® and DIGIFORT® range	**3411,36**
	**MOD-AFF**		Display module for SWAMIGO3	**2288,81**
	**COF120-N**		Steel coated dark grey column. Pre-drilled hole for cable entry. Suitable for PRASTEL keypads installation (EASYBKA, EASYBKW…)- H120 cm	**189,06**

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39



PRASTEL

PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
POWER SUPPLIES				
	**AR1S**		12V- 1,2A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	**56,65**
	**AR2B**		12V-2A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	**104,75**
	**AR5S**		12V-4A buffer switched mode power supply with integrated battery charger, DIN rail mounting (battery not included)	**150,30**
	**ABM4V**		Switch-mode 4,5A backup power supply in metal box, with anti-opening tamper (battery not included)	**249,34**
AFTER-SALES SERVICE				
	**SAV-DIST**		Remote assistance by Teamviewer to put in service an access-control system-service 1/2 day by appointment	**C/U**
	**SAV-DEPL**		"on-site" Assistance day with one of our technician for the putting into service of an access control system - Service by appointment and traveling cost to be estimated	**C/U**



PRASTEL

PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
OUTDOOR PERIMETER BARRIERS				
PH line				
	**2PH-60C**		I.R. barrier, double beams, max. range 60 m* outdoor, IP55	**225,89**
	**2PH-150A**		I.R. barrier, double beams, max. range 150m* outdoor, IP55	**452,93**
	**4PH-200A**		I.R. barrier, 2 double beams, max. range 200 m* outdoor, IP55	**692,45**
	**RF217**		Kit for wireless alignment of PH series perimeter barriers	**795,68**
INFRA Column & accessories				
	**INFRA15**		Aluminium and polycarbonate column, height 1.5 m	**237,61**
	**INFRA20**		Aluminium and polycarbonate column, height 2 m	**310,23**
	**INFRA25**		Aluminium and polycarbonate column, height 2.5 m	**389,43**
	**FLINFRA45**		Metal base for ground mounting of INFRA column up to 2 m	**297,02**
	**FLINFRA165**		Metal base for ground mounting of INFRA column over 2 m	**356,42**
	**TAINFRA**		Upper plug+ring nut and tread-resistant device for INFRA column	**52,80**
	**STIOR2**		Mounting support for 2PH-60C barrier (Tx and Rx) inside INFRA column	**24,36**
	**SUPINFRA**		Wall-mounting support for INFRA column	**39,74**
	**TINFRAB**		Bottom plug+ring nut with holes for laying cables for INFRA column	**60,38**

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39



PRASTEL

PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
CONTROL DEVICES				
	Radio 433.920 MHz			
	**ANT433**		433.920 MHz tuned single-strand antenna, corner bracket and 2.5 m cable	**44,69**
	**ANT433S**		433.920 MHz tuned multi-strand professional antenna, corner bracket and 2.5 m cable	**69,51**
	**MPSTF3E**		3-channel transmitter, 433.920 MHz, micro dip-switch coding	**44,21**
	**MPSTL4E**		4-channel transmitter 433,920 MHz, sequential unique code ***(While stocks last)***	**55,39**
	**MPSTP2E-XP**		2-channel transmitter 433.920 MHz, Rolling Code, XP and RW+	**44,56**
	**SLIM+**		4-channel Rolling code transmitter, 433.920 MHz,rolling code, XP and RW+ code management, encrypted transmission	**45,08**
	**SLIM2E+**		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, encrypted transmission	**42,95**
	**SLIM2E**		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management,	**38,60**
	**SLIM4E**		4-channel Rolling code transmitter, 433.920 MHz,rolling code, XP and RW+ code management, white & chrome-plated casing	**39,96**
	**TC2E**		2-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, black & chrome-plated casing	**37,57**
	**TC4E**		4-channel Rolling code transmitter, 433.920 MHz, rolling code, XP and RW+ code management, black & chrome-plated casing	**39,91**
	**MRMINI1E+**		1-channel receiver, 433,920 MHz, 1000 codes, IP50 ***(While stocks last)***	**107,65**
	**MRMINI2E+2C**		2-channel receiver, 433,920 MHz, 2 commons, 1000 codes, IP50	**129,92**
	**KITMRMINI2E+**		Radio Kit composed with 2 transmitters SLIM2E+ + 1 receiver MRMINI2E+	**206,60**
	**MR1E-XP**		1-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management	**140,72**
	**MR2E230-DIN**		433,920MHz radio receiver, 230V, 2 relays : monostable or bistable, DIN rail mounting	**129,41**
	**MR2E+**		2-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management, IP55	**135,86**
	**MR4E+**		4-channel Rolling code receiver 433.920 MHz, 1000 codes, EASYROLL code management, IP55	**153,30**



PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
	Radio 868 MHz			
	**ANT868S**		868 MHz tuned single-stranded professional antenna, corner bracket and 2.5 m cable	**54,15**
	**TC4S**		4-channel Rolling code transmitter, 868 MHz, EASYROLL code management, blue & chrome-plated casing	**48,47**
	**MR4S-XP**		4-channel Rolling code receiver 868 MHz, 1000 codes, EASYROLL code management, IP55	**168,62**
	**SLIM4S+**		4-channel 868 MHz transmitter, Rolling Code, XP and RW +, encrypted and copy-proof transmission, matt blue, white keys	**45,08**
	**MRMINI2S+**		2-channel miniaturized receiver 868 MHz, 1000 encrypted codes, IP20	**129,92**
	Radio 26.995 MHz			
	**ANT26.9**		26.995 MHz tuned single-stranded antenna, corner bracket and 2.5 m cable	**59,78**
	**KMFT4P**		4-channel miniaturized transmitter 26.995 MHz, dip-switch coding	**53,86**
	**MR4F**		4-channel receiver 26.995 MHz, 1000 codes, IP55	**188,50**
	Radio GSM			
	**MRGSM-ANTEXT**		GSM Remote antenna for MRS-GSM-4G	**88,85**
	**MRS-GSM-4G**	*New!*	4G access control with built-in 868MHz receiver, encrypted transmission with SLIM4S +, 1000 codes, 2 virtual remote controls included by default (delivered with SIM card, 10-year subscription)	**329,60**
	Radio : management & programming tools			
	**GT+**		Portable device for receivers and transmitters memory management, can operate as standalone or slave when connected to a PC (micro-USB port on board)	**358,54**
	CONTROL PANELS			
	**TC550**		Control panel for 1 motor 230V, 433.920 MHz receiver, for rolling metal shutters, awnings or blinds automation	**109,54**
	**TC1000-S**		Control panel for metal shutters, 433.920MHz receiver, 1000W power, up/ down / stop button on the box	**208,07**
	**TC2000**		Control panel for metal shutters, 433.920MHz receiver, 2000W power, with security inputs, up/ down / stop button on the box	**241,90**
	**UNIK2E230-BT**	*New!*	Self-learning control unit 2 motors 230 V, built-in 433.920 MHz receiver, in ABS box with integrated transformer, programming via smartphone application	**398,00**
	**UNIK2E230-BT-SK**	*New!*	Self-learning control unit 2 motors 230 V, built-in 433.920 MHz receiver, programming via smartphone application (board only)	**295,00**
	**UNIK3I**		Frequency converter control unit for 1 x 230 V three-phase motor, delta mounting. For controlling an industrial sliding gate	**658,00**
	**UNIK3I-IND**	*New!*	Frequency converter control unit for 1 three-phase 110V or 230 V motor, delta mounting. For controlling metal curtains or industrial sectional doors	**764,00**

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39



PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
PHOTOBEAMS & ACCESSORIES				
	**CR10MS**		Diodes (1 Tx + 1 Rx) for FOTO9S2AST amplifier, flush or wall mounted, max. range 10m*, 8 m shielded cable, IP67	**43,02**
	**FOTO9S2AST**		Amplifier for CR10MS diode, management of 1 or 2 beams, individual sensitivity adjustement for each beam, in water-tight box IP67	**128,70**
	**CR15NM-PNP**		**PNP** optical photocell (Tx + Rx) range = 15M - 10M cable, integrated electronics, colour LED display, setting via smartphone	**85,06**
	**CR15NM-NPN**		**NPN** optical photocell (Tx + Rx) range = 15M - 10M cable, integrated electronics, colour LED display, setting via smartphone	**85,06**
	**FOTO30-A**		IR photocell wall mounted, autotest, max. range 30 m*, IP45 - Cover design "squared"	**49,60**
	**FOTO30-B**		IR photocell wall mounted, autotest, max. range 30 m*, IP45 - Cover design "curved and shiny"	**49,60**
	**FOTO-R**	*New!*	IR photocell wall mounted, optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), autotest, max. range 30 m*, IP45	**94,00**
	**FOTO35**		IR photocell flush mounted, autotest, max. range 35 m*, IP44	**85,26**
	**FT12**		Polycarbonate photocell- adjustable (horizontal plane 180°)-wall mounted - max. range 12m* ***(While stocks last)***	**97,58**
	**FT20-AV**		Vandal proof photocell, 180 ° horizontally adjustable, polycarbonate base and metal cover, surface mounted, max range 20m*	**117,04**
	**FT25B**		IR photocell wall mounted, Tx battery or wired power supply (batteries not included), max. range 25 m*, IP45 ***(While stocks last)***	**78,71**
	**FOTO-RB**	*New!*	IR photocell wall mounted, Tx alcaline battery power supply (batteries not included), optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), autotest, max. range 30 m*, IP45	**87,00**
	**FSTYLE25A**		IR anti-vandal photocell wall mounted, autotest, max. range 20 m*, IP65 **(While stocks last)**	**194,19**
	**FT30-AV**		IR anti-vandal photocell wall mounted, LED signal for alignment, optical head freely adjustable (horizontal plane 180°, vertical plane ±30°), max. range 30 m*, IP55	**194,19**
	**BATF**		Kit composed with 2 lithium batteries 3.6V - 2.7A for FT25B photocells	**36,82**
	**COF60-N**		Aluminium column. Pre-drilled hole for surface mounted photocells. H 60 cm. Sold per unit	**106,92**



PUBLIC PRICE LIST 2024/1

Retail prices in Euro, applicable from January 2nd 2024

Product	Code		Description	Recommended retail unit price 2024 in EUR
SAFETY EDGES				
	**CMM200**		Electro-mechanical safety edge, 2 switches, EN standards, L. 2 m (packaging by 10 pieces)	**126,18**
	**CMM200/J**		Electro-mechanical safety edge, 2 switches, EN standards, L. 2 m, yellow (packaging by 10 pieces)	**135,67**
	**CMO-200**		Electro-mechanical safety edge, 3 switches, EN standards, L. 2 m (packaging by 10 pieces)	**169,61**
	**TCO6-P**		Safety accessory (magnet) for wicket door integrated into sectional door	**18,23**
	**TCO7KIT**		868 MHz radio band kit for safety edges, 1 contact input, composed with 1 receiver TCO6RX + 1 transmitter TCO6TX (waterproof box for the transmitter)	**233,78**
	**TCO7RX**		868 MHz bidirectional transceiver system for safety edge - Receiver	**129,62**
	**TCO7TX**		868 MHz bidirectional transceiver system for safety edge, 1 contact input - Transmitter in a waterproof box	**140,56**
	**TCOG-KIT-P**		Radio bridge Tx+Rx + magnet for sectional doors- 868 MHz - 2-direction	**188,88**
	**TCOG-TX**		Transmitter for radio bridge 868 MHz - sectional doors	**111,41**
	**TCOG-RX**		Receiver for radio bridge 868 MHz - sectional doors	**100,80**
FLASHING LIGHTS				
	**FEBO-LIGHT**		"All-in-one" flashing light: multi-voltage 12-24-230V, fixed or flashing	**60,65**
	**FLIGHT-SUP**		Bracket for FEBO-LIGHT angle mounting	**5,00**
	**FLIGHT-MET**		Metal protection for FEBO-LIGHT	**25,99**
	**FLIGHT-ANT433-W**		433 MHz antenna for FEBO-LIGHT + coaxial cable diam 5 mm, 50 Ohm	**28,84**
	**FLIGHT-ANT868-W**		868 MHz antenna for FEBO-LIGHT+ coaxial cable diam 5 mm, 50 Ohm	**28,84**
METAL MASS DETECTORS				
	**MLX24V-3**		1-channel 12/24 V loop detector, LED display for sensitivity adjustment, DIN rail mounting	**267,50**
	**MLX220BZ**		1-channel 220 V loop detector with Undekal socket	**211,63**
	**WIRE1**		Pre-assembled cable for MLX loop detector, 6 m perimeter	**74,31**
	**WIRE2**		Pre-assembled cable for MLX loop detector, 10 m perimeter	**84,62**

** Caution : measured distances may depend on product set-up and installation environment, external perturbations may reduce the range.*

PRASTEL FRANCE
ZI Athélia II, 225 Impasse du Serpolet, 13704 LA CIOTAT Cedex
Tel : 04.42.98.06.06 - Fax : 04.42.04.53.51
SAS au capital de 200 000 € / TVA FR 014202888 39